



Below is a test of the URL variable in the Data Sources Palette




On clicking the linked fields, you go to a new web page and get further details on the record chosen. Below, I clicked on record Id 153



This shows that I am able to pass the id to the sql server and get the appropriate data returned. GREAT.

Next, I want to use the FORM variable so that the data can be refreshed by the user typing data into a field. For this, I have created the same data set and placed a Form Edit Field on the layout page for the user to enter their data. I have created bindings to that field using the Reload Data option from the Data Sources Toolbar. The screen below does not show much as, with an empty field, no data will be returned. Also, when any data is placed in the field, the action fires but no data is returned.



The HTML for the page

```
<!-- [BEGIN Custom1] -->
```

```
<!-- [END Custom1] -->
```

```
<!-- [BEGIN Page Start-of-File Script] -->
```

```
<!-- [END Page Start-of-File Script] -->
```

```
<!-- [BEGIN Master Start-of-File Script] -->
```

```
<!-- [END Master Start-of-File Script] -->
```

```
<!DOCTYPE HTML PUBLIC "-//W3C//DTD HTML 4.01 Transitional//EN">
```

```
<html>
```

```
<!-- [BEGIN Custom2] -->
```

```
<!-- [END Custom2] -->
```

```
<head>
```

```
<title>
```

```
sql7
```

```
</title>
```

```
<meta http-equiv="Content-Type" content="text/html; charset=ISO-8859-1">
<meta name="Generator" content="NetObjects (http://netobjects.com)">
<!-- [BEGIN Custom3] -->

<!-- [END Custom3] -->
<!-- [BEGIN Layout script] -->

<!-- [END Layout script] -->
<!-- [BEGIN Master script] -->

<!-- [END Master script] -->
<script type="text/javascript">
<!--
var F_A,F_B,F_CH,F_CL,F_DB,F_E,F_F,F_L,F_MT,F_MV,F_R,F_SE,F_SU,F_U,F_HR,F_MU,F_MD;
function F_e(){ function F_n(){ function F_onLoaded(){
//-->
</script>
<script type="text/javascript" src="file:///C:/Program Files (x86)/NetObjects/NetObjects Fusion
12.0/NetObjects System/validation.js">
</script>
<script type="text/javascript" src="file:///C:/Program Files (x86)/NetObjects/NetObjects Fusion
12.0/NetObjects System/script.js">
</script>
<script type="text/javascript" src="file:///C:/Program Files (x86)/NetObjects/NetObjects Fusion
12.0/NetObjects System/effects.js">
</script>
<script type="text/javascript" src="file:///C:/Program Files (x86)/NetObjects/NetObjects Fusion
12.0/NetObjects System/Resources/js/external/jquery/jquery.js">
</script>
<script type="text/javascript" src="file:///C:/Program Files (x86)/NetObjects/NetObjects Fusion
12.0/NetObjects System/Resources/DataSource/View/form.class.js">
</script>
<script type="text/javascript" src="file:///C:/Program Files (x86)/NetObjects/NetObjects Fusion
12.0/NetObjects System/Resources/DataSource/View/JS/NOF_ajax.js">
</script>
<script type="text/javascript">
    var NOFDataSourceBindingsPath = 'binding15160.xml.php';
    var NOFDataSourceConnectionsPath = '';
    var NOFDataSourceActionPath = 'actions15160.xml.php';
    var NOFGatewayPath = './scripts/datasource/php-gw.php';
    var NOFAjaxLoadingPicture = './scripts/datasource/loading.gif';
    var NOFDataSourceRootPath = './';
    var NOFDataSourceLocale = 'en';
    var NOFDataSourcePublishMode = 'Debug';

    NOF_ajaxVariables.setAjaxGateway(NOFGatewayPath);
    NOF_ajaxVariables.loadUrlVars();
    NOF_ajaxVariables.loadServerVars();
    NOF_ajaxVariables.loadEnvVars();
    NOF_ajaxVariables.loadCookieVars();
</script>
<script type="text/javascript">
    grid_LayoutRegion4 = new NOF_grid('LayoutRegion4');
    grid_LayoutRegion4.ajaxRequestFile = NOFGatewayPath;
    grid_LayoutRegion4.containerId = 'NOF15169LayoutRegion4';
    grid_LayoutRegion4.instanceName = 'grid_LayoutRegion4';
```

```

grid_LayoutRegion4.iteratorNode    = 'NOF15169LayoutRegion4';
grid_LayoutRegion4.sql_id          = '15169';
grid_LayoutRegion4.recPerPage      = -1;
grid_LayoutRegion4.NOF_binding_path = NOFDataSourceBindingsPath;
grid_LayoutRegion4.NOF_connection_path = NOFDataSourceConnectionsPath;
grid_LayoutRegion4.NOF_root_path   = NOFDataSourceRootPath;
grid_LayoutRegion4.NOF_ActionPath  = NOFDataSourceActionPath;
grid_LayoutRegion4.init();
grid_LayoutRegion4.addChildIterator();
</script>
<script type="text/javascript">
    $(document).ready(function(){
        NOF_runObjects();
    });
</script>
<script type="text/javascript">
function F_doLoaded() {
    document.main = new F_cMain();
    document.objectModel = new Object();
    F_OM('Layout','LayoutLYR','doc','',new Array());
    F_OM('LayoutRegion3','LayoutRegion3LYR','lyr','Layout',null,"",0);

        F_OM('FormsEditField4','', 'tfd','LayoutRegion3',new Array(

            'Change','LayoutRegion4','DataSourceReloadData','grid_LayoutRegion4.action("int","18815","FormsEditField4=" + NOF_ajaxForm.getElementValue(
"LayoutRegion3FORM","FormsEditField4")+""');,0),'LayoutRegion3FORM',0,'FormsEditField4');

    F_OM('LayoutRegion4','LayoutRegion4LYR','lyr','Layout',null,"",0);

    F_OM('UnknownObject1','UnknownObject1LYR','nav','Layout',null,"",0);

    F_pageLoaded('Layout');
}

</script>
<link rel="stylesheet" type="text/css" href="file:///C:/Program Files (x86)/NetObjects/NetObjects Fusion 12.0/NetObjects System/fusion.css">
<link rel="stylesheet" type="text/css" href="file:///C:/Users/Administrator/Documents/NetObjects Fusion 12.0/User Sites/test_BZN_net/Preview/style.css">
<link rel="stylesheet" type="text/css" href="file:///C:/Users/Administrator/Documents/NetObjects Fusion 12.0/User Sites/test_BZN_net/Preview/site.css">
<style type="text/css">
.DefaultErrorFieldStyle {
    background-color: rgb(255,0,0);
}.DefaultErrorLabelStyle {
    background-color: rgb(255,0,0);
}
</style>
<style type="text/css" title="NOF_STYLE_SHEET">

<!--
body { margin:0px; width: 960px; }
div#LayoutLYR { float:left; position:absolute; }
div#UnknownObject1LYR { position:absolute; top:129px; left:20px; width:99px; height:207px; z-index:1 }
div#LayoutRegion3LYR { position:absolute; top:142px; left:240px; width:309px; height:42px; z-index:2 }

```

```
div#FormsEditField4LYR { position:absolute; top:9px; left:133px; width:96px; height:22px; z-index:1 }
div#LayoutRegion4LYR { position:absolute; top:204px; left:170px; width:539px; height:52px; z-index:3 }
```

```
div#Text26LYR { position:absolute; top:22px; left:20px; width:493px; height:23px; z-index:1 }
```

```
-->
```

```
</style>
```

```
<script type="text/javascript"
src="file:///C:/Users/ADMINI~1/AppData/Local/Temp/2/FSITemp/JavaScript/sql7.js">
```

```
</script>
```

```
<!-- [BEGIN Custom4] -->
```

```
<!-- [END Custom4] -->
```

```
</head>
```

```
<!-- [BEGIN Custom5] -->
```

```
<!-- [END Custom5] -->
```

```
<body>
```

```
<!-- [BEGIN Page Start-of-Body script] -->
```

```
<!-- [END Page Start-of-Body script] -->
```

```
<!-- [BEGIN Master Start-of-Body script] -->
```

```
<!-- [END Master Start-of-Body script] -->
```

```
<div id="LayoutLYR">
```

```
<div id="LayoutRegion3LYR">
```

```
<!-- [BEGIN LayoutRegion3] -->
```

```
<!-- [END PRE-LayoutRegion3] -->
```

```
<form name="LayoutRegion3FORM" action="" method="post">
```

```
<div id="FormsEditField4LYR">
```

```
<!-- [BEGIN FormsEditField4] -->
```

```
<!-- [END PRE-FormsEditField4] -->
```

```
<input type="text" id="FormsEditField4" name="FormsEditField4" size="12" maxlength="12"
style="width: 92px; white-space: pre;" NOFINside=~! !~>
```

```
<!-- [BEGIN POST-FormsEditField4] -->
```

```
<!-- [END FormsEditField4] -->
```

```
</div>
```

```
</form>
```

```
<!-- [BEGIN POST-LayoutRegion3] -->
```

```
<!-- [END LayoutRegion3] -->
```

```
</div>
```

```
<div id="LayoutRegion4LYR">
```

```
<div id="NOF15169LayoutRegion4" class="nof-ajaxTemplateHide nof-clearfix nof-positioning "
style="width: 539px; padding-bottom: 7px">
```

```
<!-- [BEGIN LayoutRegion4] -->
```

```
<!-- [END PRE-LayoutRegion4] -->
```

```
<div id="Text26LYR" class="TextObject">
```

```
<!-- [BEGIN Text26] -->
```

```
<!-- [END PRE-Text26] -->
<p style="margin-bottom: 0px;">
  Id 1 {RECORDSET6.data3.Addr1} {RECORDSET6.data3.Addr2}
</p>
<!-- [BEGIN POST-Text26] -->

<!-- [END Text26] -->
</div>
<!-- [BEGIN POST-LayoutRegion4] -->

<!-- [END LayoutRegion4] -->
</div>
</div>
<div id="UnknownObject1LYR">
  <!-- [BEGIN UnknownObject1] -->

  <!-- [END PRE-UnknownObject1] -->
  [
  <a class="nof-navPositioning" href="file:///C:/Program Files (x86)/NetObjects/NetObjects Fusion
12.0/NetObjects System/nolinks.gif" >
  Home
  </a>
  ]<br>[
  <a class="nof-navPositioning" href="file:///C:/Program Files (x86)/NetObjects/NetObjects Fusion
12.0/NetObjects System/nolinks.gif" >
  Contact&nbsp;Us
  </a>
  ]<br>[
  <a class="nof-navPositioning" href="file:///C:/Program Files (x86)/NetObjects/NetObjects Fusion
12.0/NetObjects System/nolinks.gif" >
  Success
  </a>
  ]<br>[
  <a class="nof-navPositioning" href="file:///C:/Program Files (x86)/NetObjects/NetObjects Fusion
12.0/NetObjects System/nolinks.gif" >
  SQL1
  </a>
  ]<br>[
  <a class="nof-navPositioning" href="file:///C:/Program Files (x86)/NetObjects/NetObjects Fusion
12.0/NetObjects System/nolinks.gif" >
  SQL3
  </a>
  ]<br>[
  <a class="nof-navPositioning" href="file:///C:/Program Files (x86)/NetObjects/NetObjects Fusion
12.0/NetObjects System/nolinks.gif" >
  sql4
  </a>
  ]<br>[
  <a class="nof-navPositioning" href="file:///C:/Program Files (x86)/NetObjects/NetObjects Fusion
12.0/NetObjects System/nolinks.gif" >
  sql5
  </a>
  ]<br>[sql7]<br>[
  <a class="nof-navPositioning" href="file:///C:/Program Files (x86)/NetObjects/NetObjects Fusion
12.0/NetObjects System/nolinks.gif" >
```

```
Rolling
</a>
]<!-- [BEGIN POST-UnknownObject1] -->

<!-- [END UnknownObject1] -->
</div>
</div>
<!-- [BEGIN Page End-of-Body Script] -->

<!-- [END Page End-of-Body Script] -->
<!-- [BEGIN Master End-of-Body Script] -->

<!-- [END Master End-of-Body Script] -->
</body>
<!-- [BEGIN Custom6] -->

<!-- [END Custom6] -->
</html>
<!-- [BEGIN Custom7] -->

<!-- [END Custom7] -->
<!-- [BEGIN Page End-of-File Script] -->

<!-- [END Page End-of-File Script] -->
<!-- [BEGIN Master End-of-File Script] -->

<!-- [END Master End-of-File Script] -->
```

The NOF 12 Design page for the web page

